

index

System variables

SQR variables

- #prcs_run_status 639
- \$prcs_oprid 646
- \$prcs_process_instance 637
- \$prcs_run_cntl_id 646

PeopleTools variables

- % PanelGroup 386
- %BPName 276
- %Date 276, 379
- %DATEIN 813
- %DATEOUT 813
- %DateTime 276
- %DbName 276
- %DbType 276
- %EmployeeId 276
- %Import 45, 276
- %KeyEqual 421
- %Language 276, 282
- %Market 276
- %Menu 276
- %MessageAgent 276
- %Mode 277, 300
- %OperatorClass 277
- %OperatorId 277, 321
- %Panel 277
- %PanelGroup 277
- %SQLRows 277, 335
- %Time 277
- %WlInstanceID 277
- %WlName 277

Application Engine variables

- &&RECORD 1061
- &BIND 786, 813, 816, 821, 827, 834, 945, 1057
- &CLAUSE 1058
- &CLEARCURSOR 1059
- &EXECUTE 1060
- &MSG 802, 806, 823, 839, 859, 1061
- &ROUND 1062
- &SECTION 875, 886, 949
- &SELECT 811, 816, 821, 865, 1062

A

- Abort Application 784
- Absent status (Upgrade flag) 449
- Access groups 67
- Access Profile 54
- ACTION (COBOL) 721
- Action (Panel Group) 449
- Action Add (Upgrade) 450
- Action Delete (Upgrade) 450
- Action Mode (Panel Group)
 - Add 176
 - Correction 176
 - Data Entry 176
 - Update/Display 176
 - Update/Display All 176
- Action Replace (Upgrade) 450
- ACTION-COMMIT 729

- ACTION-FETCH 732
- ACTION-SELECT 730
- Activate event 420
- active scroll area 303
- ActiveRowCount (PeopleCode function) 304, 353
- Add 16, 176, 220, 221, 224
- Add Search Record 153
- AddKeyListItem (PeopleCode function) 387
- AddToDate (PeopleCode function) 378
- administration tools 32–68
- AE_APPL_TBL 777
- AE_MESSAGE_LOG 897, 906
- AE_REQUEST 889, 891, 893, 894, 895, 896, 897, 898, 902, 906
- AE_RUN_CONTROL 782, 788, 929, 946
- AE_SECTION 873, 875, 880, 882, 893
- AE_SECTION_TBL 777, 778
- AE_STEP_TBL 777, 778
- AE_STMT_B_TBL 779
- AE_STMT_TBL 777, 779
- AEADHOC 804, 815, 825
- All (PeopleCode function) 380
- Alter comments to script 214
- Alter Tables 210
- Alter/Create scripts 453

- alternate search key 93, 145, 152, 206
 - ANY (Data Type) 272
 - API Aware 624, 636, 652, 654
 - API Aware flag 624, 640
 - API Aware process 634, 640
 - API Aware program 639
 - API files 635
 - API programs 683
 - Application Designer 1, 19, 58, 69, 75, 249–256, 259, 260, 475, 739, 793, 896
 - PeopleCode 263
 - Application Engine 250, 769, 771, 908
 - advantages 772
 - analyzer 948
 - analyzing programs 947
 - compared to SQR 805, 826, 848, 870, 886
 - debugger 966
 - definition panels 779
 - definition tables 777
 - disadvantages 772
 - macros 963
 - main components 776
 - messages 805
 - PeopleCode 963
 - program 802
 - restarting a process 946
 - application folder tab 780
 - Application Library 958
 - application menus 113
 - Application Processor 69, 216, 218, 220, 223, 225, 226, 229, 230, 234, 240, 244, 247, 257, 261, 272, 293, 333, 337, 553, 612
 - Application Reviewer 401, 408
 - Application Run Control
 - record 574, 600, 643
 - application server 6, 9, 126
 - Application upgrade 438
 - architecture 4
 - arithmetic operators 288
 - array objects 422
 - arrays
 - in a loop 423
 - multi-dimensional 422
 - populating 422
 - removing items 423
 - Audit 96
 - Audit Flags 451
 - authorizing users 118
 - Auto Update 96
 - Automatic Insert option 477
 - AutoSelect 342
- B**
- Background Disconnect
 - Interval 48
 - backward compatibility 416
 - bar items 14, 114
 - BEA Systems 5
 - Bind Data 724, 763
 - Bind Setup 724, 763
 - bind variables 333, 731, 733, 734, 735, 786
 - BOOLEAN (Data type) 272
 - Boolean constants 275
 - Boolean operators 289
 - Boolean value 335
 - Break (PeopleCode
 - statement) 282, 284
 - Break at Cursor 406
 - Break at Start 402, 403
 - BRIO Technology 569
 - Build (records) 211, 215
 - build options 210
 - building database tables 204
 - built-in functions
 - (PeopleCode) 376
 - Business Component 250
 - Business Interlink 250
 - Business Process Map 48
- C**
- cache (Application Engine)
 - Process Request panel 824
 - cache fields 807–816
 - assigning values 811
 - values 813
 - cache record 771, 780, 788, 789, 806, 807, 824, 893
 - custom 793
 - USER_AET 817
 - calling functions 260
 - Cancel 244, 248, 307, 320, 385
 - catalog tables 198
 - C-callable library 396
 - Change Control 450
 - Changed * (Upgrade) 449
 - Changed/Unchanged
 - (Upgrade) 449
 - Char (PeopleCode
 - function) 377
 - character field 296
 - Check Box 460
 - child key 341, 362
 - child row 341, 365
 - Citrix 4
 - class of operators 47, 48
 - client 9
 - COBOL 713, 753, 771
 - trace 760
 - trace file 758
 - trace file contents 763
 - using SQL 716
 - COBOL Analyzer 766
 - COBOL Call Structure
 - listing 766
 - COBOL program 715, 784, 800
 - COBOL statement timings 764
 - Column Length Options 212
 - command button 161, 164
 - command line 666
 - command-line parameters 645
 - Comment (Application
 - Engine) 777, 785
 - comment (PeopleCode) 271
 - COMMIT 729
 - commit 247, 309, 781
 - commit limit 451
 - Commit-Transaction
 - function 640

- communicating errors 639
- communication area 722
- Compare Type 446
- comparison operator 288, 335
- compilation errors 558
- concatenation
 - (PeopleCode) 287
- Configuration Manager 1, 11, 528, 628, 648, 758
 - Application servers 13
 - Client Setup 14
 - Common 13
 - Crystal 13
 - Database 13
 - Display 12
 - nVision 13
 - Process Scheduler 13
 - Remote Call 14
 - Startup 12
 - Trace 13
 - Workflow 13
- CONNECT 728
- constants 275
- contiguous setup list strings 727
- control display 229
- control statements 279
- conversion functions 377
- Copy dialog panel 451
- Copy Options 84
- Copy process 450
- Copy to Clipboard push button 580
- Correction (Action Mode) 16, 153, 176, 177, 178, 225
- Create Indexes 210
- Create Tables 210
- Create Views 210
- creating a custom panel 498–513
- creating a custom record 495–498
- Critical Database Update 782
- cross reference files 765
- cross references 30
- Cross-Reference Utilities 28
- Crystal Report (.rpt) 576, 708
- Crystal Reports Process 708
- Ctrl-F7 82
- CurrEffdt (PeopleCode function) 378
- CurrEffSeq (PeopleCode function) 379
- CurrentRowNumber 352, 355
- CURSOR 723
- custom (Field Format) 86
- CUSTOM (PTPSQLRT parameter) 84
- customization 431, 473
- Customization Upgrade 444
- D**
- data access 332
- Data Administration 100, 204
- data conversion 337
- Data Definition Language (See DDL)
- Data Entry (Action Mode) 176
- data entry (Application Processor) 236, 303
- data model 591
- Data Mover 1, 33, 717, 719, 742
 - scripts 719
- data retrieval 225, 300
- Data Trace 409
- data types 271
 - ANY 272
 - BOOLEAN 272
 - DATE 272
 - DATETIME 272
 - NUMBER 272
 - OBJECT 272
 - STRING 272
 - TIME 272
- database
 - catalog tables 198
 - keys 148, 205
 - object modeling 202
 - security 660
 - type of compare 449
 - views 204
- DATE (Data type) 272
- Date (PeopleCode function) 377
- date comparison 136
- Date/Time 377
 - defaults 576
 - parameters 576
- DatePart (PeopleCode function) 272
- DATETIME (Data Type) 272
- DateValue (PeopleCode function) 377
- DBG1.tmp 528
- DDDAUDIT 201
- DDL 100, 207, 208
- DDL Model 203
- Debug 781
- debugging 400
 - breakpoint 401, 427
 - viewing data 407
- debugging tools 399–415, 956, 966
 - Application Reviewer 401
 - WinMessage 400
- decimal number setup 726
- decision logic 849–870
- Declare Function 395, 396
- Default Panel Control 96
- Default processing 233
- Define List button 411
- Define-Prcs-Vars (SQR) 635, 637
- Delete (COBOL) 733, 912
- DELETE (SQLExec) 336
- Delete Row (F8) 16, 351, 367
- DeleteRecord (PeopleCode function) 383
- DeleteRow (PeopleCode function) 347, 355, 370, 381
- Department security 548, 664
- Department table 38
- Derived records 84, 155, 160
- Derived/Work record 154, 504, 506, 512, 557
- Descending Key 94, 206
- Description 623
- Detail Trees 66
- development objects 250
- development steps 889

development tab 443, 564
 DiscardRow (PeopleCode
 function) 301
 DISCONNECT
 (COBOL) 728
 DISCONNECT ALL
 (COBOL) 728
 Display Control 105, 501
 display-only 104
 DispOnly 49
 DLL 397
 DMS script 719, 727, 734, 742
 DO section 784, 834, 846, 927,
 949, 950
 DO Select 777, 784, 785, 833,
 841, 854
 DO Until 777, 785
 DO When 777, 785, 864, 865,
 918, 923
 DO While 777, 786
 DoCancel (PeopleCode
 function) 385
 DoSave (PeopleCode
 function) 385
 DoSaveNow (PeopleCode
 function) 521
 dot notation 417
 Drop Column Options 212
 drop-down list 102, 131, 460
 DUAL 864, 870
 duplicate keys 306
 Duplicate Order Key 93, 206
 dynamic prompt 137, 154
 dynamic sections 871–886
 Dynamic SQL 814
 dynamic views 84
 DYNSECTN section 925

E

Edit Box 102, 460
 Edit Run Control panel 585
 edit search fields 223
 Edit Type 97
 editable fields 384
 editing values 260

EFF_STATUS 134, 135, 136
 EFFDT 134, 135, 136, 177
 effective date 134, 176, 178, 378
 embedded SQL 332–339, 716
 EMPLMT_SRCH_GBL 661
 Employee ID 54
 End-Function 394
 End-If 280
 ERP 429
 error 298, 304, 307, 309, 320,
 326, 579
 duplicate key 306
 ERROR (COBOL) 728
 error handling 313–331
 error-handling (COBOL) 716
 ERR-SECTION 729
 Evaluate (PeopleCode
 statement) 281
 event-driven languages 257
 Execute options 211
 Execution Trace 409
 Explain (Messages) 315
 Export 35
 expressions 286
 external function
 (PeopleCode) 393, 559
 external Non-PeopleCode
 functions 396

F

-f flag (SQR flag) 655
 F7 82
 F8 239
 Fast Security 669
 FETCH 731
 Fetch 418, 730, 732
 FetchValue (PeopleCode
 function) 357
 FieldChange (PeopleCode
 event) 26, 261, 299, 303, 352
 FieldChanged (PeopleCode
 function) 382
 FieldDefault 26, 95, 261, 295,
 296, 302, 404
 FieldEdit 26, 261, 298, 303, 327

FieldFormula 26, 261, 295, 296,
 393, 395, 556, 557
 Field-Level security 660
 Fieldname 274
 fields 20, 78
 character 296
 definitions 78, 255
 editable 384
 hidden 384
 invisible 384
 label 462
 modification 236
 numeric 296

File Layout 252
 File object 417
 File Overwrite Options 214
 file-handling methods 417
 Find Object References 468, 536
 Fit/Gap Analysis 72
 Folder Tab Label 611
 font settings 270
 For (PeopleCode statement) 283
 From Search field 94
 From Search keys 149
 FUNCLIB 556
 function categories 178
 (See also appendix E)
 built-in 376
 Cancel 385
 conversion 377
 Date/Time 377
 Effective Date/Sequence 378
 external 393
 internal 389
 Logic 380
 Math 380
 Message Catalog/
 Display 314
 overview 375
 Panel buffer 381
 Panel control 384
 Panel transfer 387
 Process Scheduler 388
 Save 385
 scroll 365

- function categories (continued)
 - Sequence 378
 - String 386
 - Trace 413
 - function declaration 395
 - Function keys
 - F7 82
 - F8 239
 - function libraries 278, 297, 374–398
 - Function statement (PeopleCode) 389
- G**
- General Attributes 48
 - general environment 255
 - General tab 105, 111, 116
 - Get-As-Of-Date 648
 - Get-Run-Control-Parms 637
 - Get-Values procedure 646
 - Global Time Zone 711
 - global variables 277, 278
 - granting security access 523
 - Gray (PeopleCode function) 384
 - Grids 23
 - column widths 192
 - copy data 190
 - creating on a panel 193
 - freezing columns 192
 - from spreadsheets 191
 - into spreadsheets 190
 - row heights 192
 - sorting 190
 - Group boxes 22
- H**
- hidden fields 384
 - Hide (PeopleCode function) 384
 - HideRow (PeopleCode function) 359
 - HideScroll (PeopleCode function) 360
 - HTML 250, 253
- HTML definitions 253
 - HTML Document (.htm) 708
- I**
- Icons 76–78
 - If (PeopleCode statement) 280
 - If-Then-Else 279
 - Ignore Error (Application Engine) 784
 - IGNORE_DUPS 37
 - image definition 253
 - Images 23
 - Import 36
 - Import Header 39
 - Import Manager 37, 276
 - indexes 208
 - Initiated (Process Scheduler Status) 579, 637, 639
 - inline bind variables 334, 339
 - Input dialog box 95, 145
 - input parameters 643, 644, 697
 - inquiry panel 187, 188
 - INSERT 336, 337
 - Insert 734, 735
 - Insert Row (F7) 16, 351
 - InsertRow (PeopleCode function) 383
 - INSTALLATION 668
 - Int (PeopleCode function) 381
 - integrating SQC files 648
 - internal functions 389
 - Internet Client 249
 - invisible fields 384
 - Issue Message 781
 - item name 546
 - ItemSelected (PeopleCode event) 263
- J**
- Java applets 7
 - job 688
 - Job Definition (Process Scheduler)
 - Job Description 694
 - Job Priority 694
 - Job Run Mode 694
- Job Definition (Process Scheduler) (continued)
 - Parallel 694
 - Process Class 694
 - Recurrence Name 695
 - Run Always 695
 - Serial 694, 695
 - Server Name 694
 - Job Definitions panel group 695
 - job stream 688, 690, 691
 - Jolt 7
 - Jolt Internet Relay 7
 - Jolt Relay Adapter 7
- K**
- Keys 93
 - Alternate Search Key 93
 - Descending Key 94
 - Duplicate Order Key 93
 - From Search Field 94
 - List Box Item 94
 - Search Key 94
 - Through Search Field 94
- L**
- Label 103, 104
 - label type
 - RFT Long 463
 - RFT Short 463
 - Text 512
 - language elements 268
 - Language Preference 54
 - LASTUPDOPRID 449
 - layout (Panel Definition) 105
 - leading characters, removing 386
 - Len (PeopleCode function) 387
 - level one (Scroll Bars) 170
 - level one record 342
 - level parameter 355
 - level two (Scroll Bars) 170
 - level zero (Scroll Bars) 171
 - level zero record 341
 - list box 145, 147, 152
 - List Box Item 94

local variables 277
 Log Client Request 624
 log file 35, 36, 410
 log window 409
 Logging Level 213
 Logging Output 213
 logic functions
 (PeopleCode) 380
 LONG (Data Type) 335
 Long Description 623
 Long Edit Box 23, 460
 loop 284, 354
 Lotus 1-2-3 files (.wks) 708
 Lower (PeopleCode
 function) 386
 LTrim (PeopleCode
 function) 386

M

MAIN (Application
 Engine) 777, 798, 799, 808,
 828, 839, 854
 Mass Change 771, 784, 800
 math functions
 (PeopleCode) 380
 math operations
 (PeopleCode) 288
 menu 14, 113, 117, 276, 544
 actions 295
 attaching panel group 899
 modifying 515
 pop-up 113, 242, 305
 Problem Tracking 616
 properties 116
 security 666
 standard 113
 Menu Items 49, 108, 112, 113,
 114, 119, 614
 properties 115
 Menu PeopleCode 263, 267
 Menu Upgrade 565
 Message catalog 316, 326, 330,
 789, 790
 Message channel 254
 Message definition 253

Message log 771, 936
 Message node 254
 Message number 318, 330
 Message set 316, 330, 790, 1061
 Message severity 319
 MessageBox 314, 316, 405
 style parameters 314
 Meta-SQL 272, 337, 772, 956,
 962
 Meta-Variables 963
 Microsoft Excel (.xls) 708
 Mod (PeopleCode
 function) 381
 mode (Panel Group) 218, 220
 modifying PeopleSoft
 COBOL 738–747
 MsgGet (PeopleCode
 function) 330
 MsgGetText (PeopleCode
 function) 330
 multi-dimensional arrays 422
 multiple rows 828–848
 processing 829

N

nested statements
 (PeopleCode) 280
 Network security 660
 Next in List 16
 Next Panel in Group 16
 NextEffDt (PeopleCode
 function) 379
 No Auto Select 172, 173, 174
 No Auto Update 174
 Node Oriented Trees 66
 None (PeopleCode
 function) 380
 NOQUOTES 813, 821, 827,
 1057
 NOWRAP 813, 1057
 n-tier 8
 NUMBER (Data Type) 272
 Number (Field Attribute) 80
 numeric 275
 numeric field 296

O

OBJECT (Data Type) 272
 object group 60, 62
 Object Inspector 77
 object modeling 202
 Object references 28, 536
 Object security 58, 59
 object types 58
 Object Workspace 76
 obsolete process definition 642
 online help 13
 Online panels 572
 online security 660
 Online Trace File 758
 operation code 410
 operation operands 410
 operations hierarchy 288
 operator 118, 126
 operator class 47, 67, 118, 124,
 126, 277
 Operator ID 47, 54, 55, 56, 635
 Operator Password 54
 Operator Preferences 63
 operator security 900
 OPRCLASS 118, 127, 149
 OPRID 118, 127, 149
 Output Destination 587, 707,
 708
 output file 655
 Output Format 707, 708
 Output Options 702
 output options 707
 Output Type 707
 Output Variable 335
 Output Window 76
 Override Options 705

P

Panel buffer functions 381
 Panel control functions 384
 Panel definition 101, 256
 panel design 165–197
 Panel Design Icons 77
 Panel Field properties 103

- Panel Group 24, 109, 112, 218, 247, 277, 419, 541, 546, 610, 624
 - adding a panel 485
 - attaching to menu 899
 - custom 513
 - definitions 256
 - display 232, 302
 - structure 419
 - upgrade 565
- Panel Group Icons 78
- panel layout 105, 170
- Panel Properties 105
- Panel Transfers tab 627
- panels 22, 109
- parameter descriptions 721
- parameter list 319, 397
- parameters 344, 603, 698
 - level (Scrolls) 355
 - MessageBox 316
 - style (Message) 316
 - Turbo (Scrolls) 347
- parent data 365
- parent key 342
- parent record 91
- parent row 341
- partial key 145
- Password 125
- PeopleCode 26, 29, 44, 69, 100, 257, 520, 521, 891, 902, 903, 956
 - comments 271
 - data elements 273
 - debugging tools 399–415
 - editor 259, 269
 - embedded SQL 332–339
 - events 261
 - expressions 286
 - font settings 270
 - function libraries 374–398
 - language elements 268–292
 - PeopleSoft 8 416–427
 - RowSelect 315
 - runtime errors 261
 - Scrolls 340–373
 - search 411
- PeopleCode (continued)
 - SQLExec commands 520
 - statements 278
 - toolbar icon 265
 - tools tables 289
 - Trace 413
- PeopleCode Debugger 423
- PeopleCode editor 269, 274, 334
- PeopleCode event
 - FieldChange 521
 - FieldDefault 26, 95, 261, 295, 296, 302, 404
 - FieldEdit 26, 261, 298, 303, 327
 - FieldFormula 26, 261, 295, 296, 393, 395, 556, 557
 - ItemSelected 263
 - PrePopup 27, 262, 305
 - RowDelete 239, 262, 303, 304, 327, 354, 355
 - RowInit 261, 296, 297, 302, 304, 354, 556
 - RowInsert 239, 262, 303, 354, 383
 - RowSelect 262, 301, 324
 - SaveEdit 262, 299, 307, 327, 380
 - SavePostChg 521
 - SavePreChg 521
 - SearchInit 262, 296, 297, 300
 - SearchSave 262, 300, 301
 - WorkFlow 521
- PeopleCode functions 557, 560 (See also appendix E)
 - ActiveRowCount 304, 353
 - AddKeyListItem 387
 - AddToDate 378
 - All 380
 - Char 377
 - CurrEffdt 378
 - CurrEffSeq 379
 - Date 377
 - DatePart 272
 - DateValue 377
 - DeleteRecord 383
- PeopleCode functions (continued)
 - DeleteRow 347, 355, 370, 381
 - DiscardRow 301
 - DoCancel 385
 - DoSave 385
 - FieldChanged 382
 - Gray 384
 - Hide 384
 - HideRow 359
 - HideScroll 360
 - InsertRow 383
 - Int 381
 - Len 387
 - Lower 386
 - LTrim 386
 - Mod 381
 - MsgGet 330
 - MsgGetText 330
 - NextEffDt 379
 - None 380
 - PriorEffDt 379
 - RecordChanged 382
 - RecordDeleted 383
 - RecordNew 383
 - Round 380
 - RowFlush 367
 - RowScrollSelect 363
 - RowScrollSelectNew 365
 - RowSelect 26, 232, 262, 301, 315, 324
 - RTrim 376, 386
 - ScheduleProcess 388, 394
 - SearchInit 26, 262, 296, 297, 300
 - SearchSave 26, 262, 300, 301
 - SetCursorPos 307, 327
 - SetNextPanel 387
 - SetTracePC 414
 - StopFetching 301
 - SUBSTR 338
 - Time 377
 - TimePart 272
 - TotalRowCount 372
 - TransferPanel 388
 - UnGray 385

- PeopleCode functions (continued)
 - UnHide 384
 - UpdateValue 370
 - Upper 386
 - Warning 298, 304, 307, 309, 320, 327
 - WinMessage 324, 400
- PeopleCode statements 278
 - Break 282
 - Declare Function 395
 - Else 280
 - End-Evaluate 283
 - End-If 280
 - Evaluate 281
 - For 283
 - Repeat 284
 - Return 396
 - True 279
 - When 281
 - When-Other 282
 - While 285, 286
- PeopleSoft
 - API 572
 - architecture 4
 - Configuration Manager 628
 - security 659
- PeopleSoft 8 8, 249–256, 416–427, 702–711, 954–968
- PeopleSoft Online security 660
- PeopleSoft Query tool 662
- PeopleTools 8 417, 710
 - Acrobat (.pdf) 708
 - array objects 422
 - Comma Delimited (.csv) 708
 - file object 417
 - HP format (.lis) 708
 - HTML documents format (.htm) 708
 - Line Printer Format (.lis) 708
 - Other (.lis) 708
 - output formats 708
 - panel group 419
 - Panel group PeopleCode 419
 - PeopleCode Debugger 423
 - Postscript (.lis) 708
- PeopleTools 8 (continued)
 - Process Request Monitor 703
 - Process Scheduler Manager 703
 - Process Scheduler Request Dialog 703
 - Process Scheduler Server Agent 703
 - Rowset 420
 - SQL object 418
 - SQR Portable Format (.spf) 708
- PeopleTools catalog 199
 - (See also appendix C)
 - PSDBFIELDLANG 21
 - PSINDEXDEFN 22
 - PSKEYDEFN 22
 - PSMENUDEFN 25
 - PSMENUDEFNLANG 26
 - PSMENUITEM 26
 - PSMENUITEMLANG 26
 - PSPCMNAME 27
 - PSPCMPROG 27
 - PSPNLDEFN 24
 - PSPNLFIELD 24
 - PSPNLGDEFNLANG 25
 - PSPNLGROUP 25
 - PSPNLGRPDEFN 24
 - PSPROGNAME 27
 - PSPROJECTDEFN 27
 - PSPROJECTITEM 27
 - PSPROJECTMSG 27
 - PSRECDDLPARM 22
 - PSRECDEFN 21
 - PSRECDEFNLANG 22
 - PSRECFIELD 21
 - XLATTABLE 140
- PeopleTools run control record 576, 583
- PeopleTools upgrade 438
- PERSONAL_DATA 807
- PERSONAL_SRCH_QRY 661
- PGM_NAME 718, 723
- Physical Application Server 6
- platform dependent 338
- platform independence 337, 338
- platform specific 337
- populate search fields 222
- populating arrays 422
- pop-up menu 25, 113, 117, 242, 305
- PostBuild 420
- PRCSAPI.sqc 635, 637
- PRCSDEF.sqc 635
- PRCSRUNCNTL 603, 606
- PRCSRUNCNTL_LC_SBP 606
- PreBuild (PeopleCode event) 420
- PrePopup (PeopleCode event) 27, 262, 305
- Previous in List 16
- Previous Panel in Group 16
- primary records 344
- printer setup SQCs 711
- PriorEffDt (PeopleCode function) 379
- Problem Tracking
 - (application) 34, 69, 309, 384, 393, 590
- Problem Tracking menu 616
- PROCEDURE DIVISION 739
- Process Class 623
- Process Definition 113, 123, 617, 621, 622, 623, 629, 703, 903
 - API Aware 624
 - Description 623
 - Log Client Request 624
 - Long Description 623
 - Panel Group 624
 - Priority 623
 - Process Class 623
 - Process Security Groups 625
 - Recurrence Name 623
 - Run Location 623
 - Server Name 623
 - SQR Runtime 624
- Process Definition dialog 621
- Process Definition Options panel 626

Process Definition panel
 group 704
 Process Detail panel 580
 Process groups 53, 118, 121
 Process Instance 635
 Process Monitor 572, 578, 581,
 632, 654, 749, 750, 754
 status 579
 process profiles 123
 Process Request 684, 803, 821,
 843, 934
 assign cach values 824
 Process Request detail 579
 Process Request table 636
 Process Run status 639
 Process Scheduler 69, 113, 123,
 388, 572, 574, 635, 642, 752,
 803, 903
 Output Destination 576
 PeopleCode support 710
 Request dialog 576
 Run Date/Time 576
 Run Recurrence 576
 Process Scheduler API 749
 Process Scheduler functions 388
 Process Scheduler Request 576,
 587, 631, 702, 706
 Process Scheduler security 702,
 709
 Process Scheduler
 terminology 703
 Process Security groups 625, 666
 process type 621
 PROCESS_INSTANCE 793,
 794, 795, 929, 944
 Processing (Process Status) 579,
 637, 639
 PROCESS-INSTANCE 750
 ProcessRequest class 710
 PROGCOUNT 21
 Project Workspace 76, 958
 projects 82
 prompt 134, 136, 137, 138, 139,
 240
 prompt records 131
 Prompt Table No Edit 97
 Prompt Table Edit 97, 238
 properties 93, 105, 111, 193,
 196, 611
 prototype 74
 PS_EMPLMT_SRCH_GBL
 664
 PS_EMPLMT_SRCH_US 533
 PS_FAST_PERSGL_VW2 671
 PS_PERS_SRCH_QRY 664
 PS_PRCSDDEFN 642
 PS_PRCSDDEFNGRP 642
 PS_PRCSDDEFNPNL 642
 PS_PRCSDDEFNXFER 642
 PS_SQLSTMT_TBL 717
 PSAUDIT 92, 451
 PSAUTHITEM 56
 PSDBFIELD 200, 238, 448
 PSIDXDDLPARM 199, 200
 PSINDEXDEFN 22, 199, 200
 PSKEYDEFN 22, 199, 200
 PSLOCK 864, 870, 955
 PSMENUDEFN 25, 199
 PSMENUDEFNLANG 26
 PSMENUITEM 26, 199
 PSMENUITEMLANG 26
 PSOPERDEFN 321
 PSOPRDEFN 277, 334
 PSPCMNAME 27, 199, 289
 PSPCMPROG 27, 199, 269,
 290
 PSPNLDEFN 24, 199
 PSPNLFIELD 24, 199, 229,
 642
 PSPNLGROUP 25, 199, 228
 PSPNLGRPDEFN 24, 199, 218
 PSPRCSRQST 388, 636, 639,
 642, 750
 PSPRCSRQST table 639
 PSPRCSRUNCNTL 576
 PSPROGNAME 27, 199, 290
 PSPROJECTDEFN 27
 PSPROJECTITEM 27
 PSPROJECTMSG 27
 PSPRSCRQST 638
 PSRECDDLPARM 22, 199,
 200, 208
 PSRECDEFN 86, 92, 199, 200,
 228, 449, 834
 PSRECFIELD 21, 199, 200,
 228, 238, 269, 291, 448, 829,
 834
 PSRELEASE 449
 PSSQR Shell 710
 PSSQR1 629
 PSSQR2 629
 PSSQR3 629
 PSSQR4 629
 PTCSQLRT 721, 729
 PTCUSTAT 749
 PTPEMAIN 769, 771, 788,
 804, 944, 946, 952
 PTPSQLRT 717, 719, 720, 721,
 763
 PTPUSTAT 749, 750, 755, 756
 push button 23, 154, 160, 161,
 164, 183, 241, 242, 508, 512
Q
 Query Access Trees 66
 Query Security record 91
 Query tool 662, 665
 Query views 84
 Queued (Process Status) 579,
 639
R
 Radio Button 460
 read-only access 58
 Reasonable Date 238
 Rebuild SQL Statements 781
 RECNAME 833
 record 84, 86
 level one 342
 level zero 341
 Record audit 92
 Record definition 205, 255, 497
 Record Display Icons 77
 record events 261
 record field 93, 102, 269
 Record Field properties 41
 Record Field references 273

Record PeopleCode 261
 Record tab 103
 Record Type 92
 RecordChanged (PeopleCode function) 382
 RecordDeleted (PeopleCode function) 383
 RecordName 274
 RecordNew (PeopleCode function) 383
 records
 delete 519
 link 342
 location header 346
 primary 344
 recurrence 686
 definition 702
 Recurrence Definition
 panel 577
 Recurrence Name 623
 Related Display 105, 229
 field 501
 Related Language record 91
 removing items from arrays 423
 Repeat 284
 REPLACE_ALL 36
 REPLACE_DATA 37
 Report Filter 84
 report output 582
 Report Request Parameters 574
 Request Parameters 579, 580, 655, 752
 Required Field 238
 Restart 781, 946
 retrieve data 230
 Return (PeopleCode statement) 396
 return code (COBOL) 728
 return value (PeopleCode) 396
 Rich Text File (.rft) 708
 ROLLBACK 729
 Round (PeopleCode function) 380
 row by row processing 773
 Row Select processing 232
 RowDelete (PeopleCode event) 26, 236, 239, 262, 303, 304, 327, 354, 355
 RowFlush (PeopleCode function) 367
 RowInit (PeopleCode event) 26, 261, 296, 297, 302, 304, 354, 556
 RowInsert (PeopleCode event) 26, 236, 239, 262, 303, 354, 383
 Row-Level security 660, 662, 665, 668
 RowScrollSelect (PeopleCode function) 363
 RowScrollSelectNew (PeopleCode function) 365
 ROWSECCLASS 127, 128
 RowSelect (PeopleCode event) 26, 232, 262, 301, 315, 324
 Rowset (PeopleTools 8) 420
 RTrim (PeopleCode function) 376, 386
 Run Control 574, 887-941
 Run Control ID 574, 621, 635
 Run Control panel 574, 605, 633, 684, 893
 Run Control record 583, 600, 633, 672
 Run Location 576, 623
 Run Recurrence 699
 Run with Defaults 16
 running multiple requests 883
 runtime 245
 runtime errors 261

S
 save 243, 307
 save events 386
 Save functions 385
 save processing 243, 307
 SaveEdit (PeopleCode event) 26, 262, 299, 307, 327, 380
 SavePostChg (PeopleCode event) 262, 309, 315, 322, 324, 334
 SavePreChg (PeopleCode event) 26, 262, 308, 315, 324, 334
 saving panel 106
 schedule parameters 686
 ScheduleProcess (PeopleCode function) 388, 394
 Scheduler parameter list 646
 scheduling, recurring basis 684
 schema 85
 Script File Options 214
 scroll area 303, 306
 scroll bar 166, 168, 169, 171, 172, 173, 174, 177, 342, 482
 scroll bar objects 341
 scroll functions 353
 enhanced 420
 scroll handling 257
 scroll levels 344
 ScrollFlush (PeopleSoft function) 351, 354
 ScrollPath 346
 Scrolls 340-373
 ScrollSelect (PeopleSoft function) 347, 354
 ScrollSelectNew (PeopleSoft function) 350
 search fields 220
 search in PeopleCode 411
 Search key 94, 132, 145, 152, 553
 search processing 218, 295, 300
 add mode 295
 search record 144, 148, 151, 218, 533, 534, 612
 SearchInit (PeopleCode event) 26, 262, 296, 297, 300
 SearchSave (PeopleCode event) 26, 262, 300, 301
 Secondary panel 23, 179, 182, 183
 SECTION 777

section reusability 846
 security 119, 129, 901
 database 660
 field-level 660
 implementing 659–682
 Row-Level 660
 row-level 668
 security access 488, 523, 546, 615
 Security Administrator 1, 32, 47, 118, 119, 123, 126, 218
 security class 61
 security in SQR 672
 security layers 659
 security record 537
 security search views 664
 SELECT 337, 730
 Select 731, 777, 785, 811, 833
 Select Data 725, 745
 Select Setup 724, 741, 745
 Select statement 92
 selection logic 591
 Server Agent 580
 Server Name 623
 Set Control field 91, 98
 SET INPUT 36
 SET OUTPUT 35
 set processing 772, 775
 SetCursorPos (PeopleCode function) 307, 327
 SetDefault 310
 SETENV.sqc 635
 SETID 98
 SetNextPanel (PeopleCode function) 387
 SetTracePC (PeopleCode function) 414
 Setup 595
 setup list 724, 742
 Signed Number (Field Attributes) 80
 signing-on
 connection type 10
 database name 11
 operator ID 11
 password 11
 Sign-On 121
 sign-on times 51, 53
 SQC file 635, 647
 SQL Alter 212
 SQL definition 254, 418
 SQL in COBOL programs 716
 SQL object 418
 SQL statement 763, 784, 800
 SQL statement name 723
 SQL statement table 718
 SQL string 334, 337
 SQL table name 92
 SQL tables 198, 201, 203, 204, 205, 209, 226, 261, 302
 SQL Trace 758, 765
 SQL View 84, 92, 185, 202, 205, 214, 226, 302, 496
 SQL-CURSOR-COMMON 723, 732
 SQL-Error 639
 SQExec function 272, 274, 276, 277, 295, 309, 332, 333, 405, 521, 786
 SQLRT 722
 SQL-STMT 723, 731
 SQLTABLENAME 21
 SQR 257, 283, 569, 571, 771, 772, 797, 817, 829, 850
 command line 572
 Report 621
 SQR dialog box 636
 SQR process 621
 SQR program 572, 631
 designing 591
 executing 597
 output files 597
 SQR Runtime 624
 SQR security 672
 SQR security flag 669
 SQRW dialog box 666
 SQT 624
 stamping the database 453
 Standard menus 113
 Startup tab 12
 State Record 957
 STATEMENTS 777
 statements 278
 STATIC 814, 822, 827, 1057
 Static Image 22
 Static Text 22, 102
 status 449, 639
 absent 449
 In Progress 310
 Unknown 449
 STDAPI.sqc 635, 637, 638, 653
 Stdapi-Init (SQC procedure) 636, 637, 639, 653
 Stdapi-Term 636, 638, 639, 653
 STEP 777
 STMT_NAME 719, 723
 STMT_TEXT 719
 STMT_TYPE 718, 723
 StopFetching (PeopleCode function) 301
 Store command 719
 stored SQL statement 718, 727
 STRING (Data Type) 272
 string functions 377, 386
 structured programming 717
 Structured Query Report Writer (See SQR)
 style 106, 315, 324
 style parameter 316, 319, 324
 style sheet 255
 subpanel 179, 180, 181, 182, 460, 464, 466
 subrecord 84, 180, 181
 Substring function 386
 Success (Process Status) 579, 639
 Summary Trees 66
 Suppress Error 784
 syntax check (PeopleCode) 326
 SYSADM 667
 system edits 37
 system tables 1002–1007
 system variables 276
T
 target orientation 447
 testing 523–524, 547, 563
 Text Files (.txt) 708

Think Time PeopleCode 295
Third Party panel 669
three-tier 4, 247
Through Search field 94
Through Search key 149
TIME (Data Type) 272
Time (PeopleCode function) 377
Time-Out 49
TimePart (PeopleCode function) 272
toolbar 16
toolbar icon 265
tools tables 289
TotalRowCount (PeopleCode function) 372
trace 413
trace file 759, 763, 787, 937
 contents 763
 sample 943
trace filename 528
trace options 530, 780
trace settings 759
Trace SQL statement 530
Trace utility 528
Traffic Light button 575
trailing characters,
 removing 386
TransferPanel (PeopleCode function) 388
translate 140, 141, 144
Translate Table edit 97, 238
translate values 42, 140
Tree Manager 1, 32, 64
Trees 23, 128
True 279
Turbo 348
Turbo parameters 347
tutorial 789

Tuxedo 5, 6, 247
two-tier architecture 4

U

UnGray (PeopleCode function) 385
UnHide (PeopleCode function) 384
Unicode 711
UPDATE 336, 337, 732
Update 734, 777, 785
Update mode 300
Update/Display 16, 153, 176, 178, 221, 224
Update/Display All 16, 153, 176, 178, 225
UpdateValue (PeopleCode function) 370
upgrade 27, 438, 563
Upgrade Compare process 84, 444, 448
upgrade considerations 433
Upgrade Copy 84
Upgrade Copy process 444
Upgrade tab 443, 564
Upgrade values 449
Upper (PeopleCode function) 386
Use tab 104, 106, 111, 117
User Think-Time 322
USER_AET 817
using Select method 421
utilizing MessageBox 320

V

validate fields 298
vanilla 429

variables
 bind 334
 global 278
 inline bind 334, 336, 339
 output 335
 temporary 272
verify mode 225
view definition 497

W

Warning (PeopleCode function) 298, 304, 307, 309, 320, 327
web server 10
When 281
WHERE 35
While 285, 286
WinBatch 764
Windows Notepad 582
Windows Registry 759, 760
Windows Registry Editor 760
WinMessage (PeopleCode function) 324, 400
Work record 302
 creating 506
work scroll 173
Workflow (PeopleCode event) 27, 262, 308, 315, 324, 334
working storage 726, 731, 740
worklist 277

X

XLATTABLE 140, 167

Y

Yes/No Table edit 97, 238