

index

A

ActionForm 129
 generating from EJB 129
 validation 126
actions.xml
 <actions> element 132
 generating 133
Adaptor design pattern 37
aggregate code generation 299
AndroMDA 336, 347
Ant 33
 <fileset> element 30
 installation 351
 properties 90
 property substitution 146, 158
 <taskdef> element 29
Ant tasks 331
Apache Axis 230
 custom types 230
 deployment descriptors 222, 226
 deserializers 230
 EJB web services 228
 serializers 230
 tags 383
 undeployment descriptors 223,
 226
Apache SOAP 222
 custom types 222
 deploying a service 215, 222
 deployment descriptor 214
 deserializers 222
 EJB web services 217
 serializers 222
 tags 384

<apachesoap> subtask 212
 contextFactoryName attribute 215–216
 contextProviderUrl attribute 215–216
application assembler 136
application component provider 136
artifacts of code generation 5
attributes 31
Automobile.java 268
AutomobileMock.java 269
@axis.method tag 224, 383
@axis.service tag 223–224, 383
 include-all attribute 224
 scope attribute 223
 urn attribute 223
<axisdeploy> subtask 222–223
 contextFactoryName attribute 226
 contextProviderUrl attribute 226
<axisundeploy> subtask 223

B

@bes.bean tag 384
@bes.datasource tag 384
@bes.ejb-local-ref tag 385
@bes.ejb-ref tag 385
@bes.property tag 385
@bes.relation tag 385
@bes.resource-env-ref tag 385
@bes.resource-ref tag 385
Blog.java 180
BlogBean 51
BlogBean.java 126
BlogContextListener.java 104
BlogCreateAction.java 117
BlogCreateForm.java 123, 125

BlogEverythingForm.java 126
 BlogFacadeBean 50
 BlogFacadeBean.java 227
 BlogFacadeCastor.java 202
 BlogFacadeHibernate.java 176
 BlogFacadeJdo.java 186
 BlogFacadeSoapClient.java 222
 BlogLoadFilter.java 100
 BlogManager.java 236
 BlogSimpleForm.java 129
 BlogSimpleValueSerializer.java 219, 230
 Borland Enterprise Server (BES) 386
 build process 7, 9, 19
 build-castor.xml 192–193
 build-ejbgen.xml 115, 117, 212, 222
 build-hibernate.xml 165–166
 build-jdo.xml 177, 184
 build-jmxgen.xml 235
 build-webgen.xml 85, 116, 130
 buildwebgen.xml 115
 business objects 14

C

CardPlayerBean.java 80
 Castor
 <bind-xml> element 206–207
 JDO 202
 relationships 199
 tags 388
 XML 209
 @castor.class tag 193, 195, 386
 id attribute 193, 195
 table attribute 194–195
 @castor.field tag 194–195, 198, 387
 collection attribute 198
 name attribute 194–195
 set-method attribute 194–195, 198
 type attribute 194–195, 198
 @castor.field-sql tag 194–195, 198, 388
 many-key attribute 198
 name attribute 195
 type attribute 195
 @castor.field-xml tag 204–206, 388
 name attribute 204–206
 node attribute 204, 206
 CastorCastor 209
 <castormapping> subtask 192–193, 196
 class fieldsfields 321
 code generation
 active 7

aggregate 34, 299
 benefits 296
 data-driven 9–10
 dynamic 5
 frameworks 15
 input sources 10
 model-driven 9
 motivation for 15
 passive 6
 risks 295
 source code-driven 10
 suitability 295
 transform 34, 304
 types of 7
 code generators, hand-written 15
 code redundancy 39
 code spread 39
 code wizard 6
 comment blocks 31
 <configParam> element 322
 configuration files 14
 CreateBlogAction.java 119
 CreateEntryAction.java 131
 custom tasks 334
 customization, merge points 39

D

DAO. *See* Data Access Objects
 @dao.call tag 77, 401
 <dao> subtask 75
 Data Access Objects 77
 adding methods to 77
 generating 77
 data transfer object. *See* value objects
 database-driven development 349
 data-driven code generation 9
 DateFormatTag.java 106
 deploy.properties 158
 deployer 136
 deployment descriptors 14, 30
 and code reuse 18
 ejb-jar.xml 51–52
 generating 52
 jaws.xml 140
 jboss.xml 140
 jbosscomp-jdbc.xml 140
 JBossJBoss 151
 jboss-web.xml 149
 web.xml 84
 weblogic.xml 155

- deployment descriptors (*continued*)
 - WebLogicbea 156
 - weblogic-cmp-rdbms-jar.xml 152
 - weblogic-ejb-jar.xml 152
 - deployment, multiple 158
 - <deploymentdescriptor> subtask 27, 30, 52, 59–60, 66, 84–85
 - destDir attribute 52
 - design patterns
 - as a source for code generation 20
 - @doc.param tag 389
 - @doc.tag tag 389
 - <doclet> task 26
 - <documentdoclet> task 23, 26, 29, 356
 - <documenttags> subtask 356
 - <info> subtask 24, 356
 - duplicate information 294
 - dynamic proxy 5
 - DynamicShellAppCommandProcessor.java 310
- E**
-
- EAServer, XDoclet tags 474
 - @easerver.ejb-ref tag 474
 - @easerver.resource-ref tag 474
 - Eclipse 336
 - JBoss IDE plugin 344
 - XDoclet build files 345
 - EJB 46
 - aggregate relationships 65
 - BMP entity beans 75
 - call by reference 154
 - CMP entity beans 60
 - composite relationships 65
 - create methods 53
 - defining entity beans 51
 - deployment descriptors 51–52
 - ejbActivate method 56
 - ejbCreate method 53
 - ejb-jar.xml method 51–52
 - ejbLoad method 56
 - ejbPassivate method 56
 - EJB-QL 68
 - ejbRemove method 56
 - ejbStore method 56
 - find methods 69
 - finder methods 53
 - home interfaces 51–52
 - IDsguid 56
 - implementation classes 52, 58
 - interface methods 53
 - lifecycle methods 56
 - local home interfaces 51
 - local interfaces 51
 - message-driven 81
 - naming 50
 - performance 61
 - pooling 154
 - primary keys 51
 - query methods 70
 - references 59
 - relationships 61
 - remote interfaces 51
 - retrieving home interface 55
 - security 68
 - select methods 70
 - transactions 74
 - utility classes 56
 - utility objects 51
 - value objects 52, 58, 65
 - view type 50–53
 - web services 217, 228
 - writing 46
 - XDoclet tags 406
 - @ejb.aggregate tag 401
 - @ejb.bean tag 50, 72, 74, 78, 389
 - acknowledge attribute 78
 - acknowledge-mode attribute 79
 - cmp-version attribute 51
 - destination-type attribute 78, 80
 - jndi-name attribute 147
 - local-jndi-name attribute 147
 - message-selector attribute 78–79
 - name attribute 50
 - primkey-field attribute 51
 - subscription-durability attribute 78, 81
 - transaction-type attribute 72
 - type attribute 50–51, 76
 - view-type attribute 50–51
 - @ejb.create-method tag 53, 402
 - @ejb.dao tag 75–76, 391
 - impl-class attribute 75
 - impl-jndi attribute 75
 - @ejb.data-object tag 392
 - @ejb.ejb-ref tag 393
 - @ejb.env-entry tag 393
 - @ejb.external-ref tag 392
 - @ejb.facade tag 394
 - @ejb.facade-method tag 402
 - @ejb.finder tag 69, 394
 - query attribute 69
 - signature attribute 69

- @ejb.home tag 395, 402
- @ejb.interface tag 396
- @ejb.interface-method tag 53, 58–59, 402
- @ejb.permission tag 66, 397, 402
 - role-name attribute 66
- @ejb.persistence tag 59, 152, 398, 403
 - column-name attribute 141
 - jdbc-type attribute 141–142
 - sql-type attribute 141–142
 - table-name attribute 141, 145
- @ejb.persistent-field tag 403
- @ejb.pk tag 398
- @ejb.pk-field tag 404
- @ejb.relation tag 60, 142, 404
 - cascade-delete attribute 60, 142
 - name attribute 60–61
 - role-name attribute 60–61
- @ejb.relationship tag 404
- @ejb.remote-facade tag 399
- @ejb.resource-env-ref tag 399
- @ejb.resource-ref tag 148, 399
 - res-auth attribute 148
 - res-ref-name attribute 148
 - res-type attribute 148
- @ejb.security-identity tag 68, 399
- @ejb.security-role-ref tag 67, 400
 - role-link attribute 68
 - role-name attribute 68
- @ejb.select tag 70, 404
 - query attribute 70
 - result-type-mapping attribute 70
- @ejb.transaction tag 72–73, 400, 405
 - type attribute 72
- @ejb.util tag 55, 400
 - generate attribute 55
- @ejb.value-object tag 62, 65, 400, 405
 - aggregate attribute 65
 - aggregate-name attribute 65
 - compose attribute 65
 - compose-name attribute 65
 - match attribute 64
 - members attribute 65
 - members-name attribute 65
- EjbDoclet 40, 46
- <ejbdoclet> task 26–27, 29, 47, 51
 - <apachesoap> subtask 212, 357, 364
 - <axisdeploy> subtask 223, 357, 364
 - <axisundeploy> subtask 223, 357
 - <borland> subtask 358, 364
 - <castormapping> subtask 192–193, 196, 358, 365
- <dao> subtask 75, 358
- <dataobject> subtask 358, 365
- <deploymentdescriptor> subtask 27, 30, 52, 59–60, 66, 358, 365
- <easerver> subtask 358
- <entitybmp> subtask 56, 358, 366
- <entitycmp> subtask 27–28, 56, 359, 366
- <entityfacade> subtask 359
- <entitypk> subtask 359, 366
- files generated by 48
- <homeinterface> subtask 52, 359, 366
- <hpas> subtask 359
- <jboss> subtask 27, 140, 360, 366
- <jonas> subtask 360, 368
- <jrun> subtask 360, 368
- <localhomeinterface> subtask 27, 52, 361, 368
- <localinterface> subtask 27, 53, 361, 368
- <mvcsoft> subtask 361
- <orion> subtask 361, 368
- <pramati> subtask 361
- <remotefacade> subtask 361
- <remoteinterface> subtask 53, 361, 368
- <resin-ejb-xml> subtask 362, 369
- <session> subtask 56, 362, 369
- <strutsconfigxml> subtask 128
- <strutsform> subtask 116–117, 128, 362
- subtasks of 49
- <sunone> subtask 362, 369
- <utilobject> subtask 56, 363, 369
- <valueobject> subtask 28, 62, 363, 369
- <weblogic> subtask 27, 151, 363, 369
- <websphere> subtask 364
- ejb-jar.xml 51–52, 60
 - <assembly-descriptor> element 66
 - <cmp-field> element 59–60
 - <container-transaction> element 73
 - <destination-type> element 80
 - <ejb-local-ref> element 58–59
 - <ejb-ref> element 59
 - <ejb-relation> element 60–61
 - <ejb-relation-name> element 61
 - <ejb-relationship-role-name> element 61
 - <entity> element 60
 - <message-selector> element 79
 - <method-permission> element 66
 - <security-role> element 66
 - <security-role-ref> element 67
 - <transaction-type> element 72
- @ejb-ref tag 58–59
 - ejb-name attribute 59

@ejb-ref tag (*continued*)
 ref-name attribute 59
 view-type attribute 59
 Enterprise JavaBeans
 entity beans 46
 message-driven beans 46
 session beans 46
 Enterprise JavaBeans. *See* EJB
 <entitybmp> subtask 56
 <entitycmp> subtask 27–28, 56
 Entry.java 183

F

Factory design pattern 300
 filters, servlet 103
 configuration 102
 initialization 103
 mapping to URL 103
 FullServiceStation.java 270, 272

G

generated source code
 storing in the repository 19
 generateGUID 55
 GenericPortlet 277
 getHome 54
 getLocalHome 54

H

HelloWorldPortlet.java 278
 Hibernate 176
 configuration 175
 relationships 174
 session 175
 SessionFactory 175
 XDoclet tags 414
 @hibernate.array tag 408
 @hibernate.bag tag 408
 @hibernate.class tag 167–168, 406
 table attribute 167–168
 @hibernate.collection-composite-element tag 409
 @hibernate.collection-element tag 409
 @hibernate.collection-index tag 409
 @hibernate.collection-jcs-cache tag 409
 @hibernate.collection-key tag 172–173, 409
 column attribute 172
 @hibernate.collection-many-to-many tag 410

@hibernate.collection-one-to-many tag 172–173, 410
 class attribute 172
 @hibernate.column tag 410
 @hibernate.component tag 410
 @hibernate.composite-element tag 410
 @hibernate.discriminator tag 407
 @hibernate.generator-param tag 410
 @hibernate.id tag 167–168, 410
 generator-class attribute 167–168
 @hibernate.joined-subclass tag 407
 @hibernate.joined-subclass-key tag 407
 @hibernate.list tag 411
 @hibernate.many-to-one tag 173–174, 412
 column attribute 174
 @hibernate.map tag 412
 @hibernate.one-to-one tag 413
 @hibernate.primitive-array tag 413
 @hibernate.property tag 167–168, 413
 @hibernate.query tag 407
 @hibernate.set tag 172–173, 414
 cascade attribute 172
 lazy attribute 172
 @hibernate.subclass tag 407
 @hibernate.timestamp tag 414
 @hibernate.version tag 414
 <hibernate> subtask 165, 168
 version attribute 166
 <hibernatedoclet> task 26, 165, 369
 <hibernate> subtask 165, 168, 370–371
 <jbossservice> subtask 165, 370
 subtasks 165
 home interfaces
 generating 52
 retrieving 55
 <homeinterface> subtask 52
 HomeownerBean.java 81
 HP Application Server (HPAS)
 XDoclet tags 416
 @hpas.bean tag 415
 @hpas.ejb-ref tag 415
 @hpas.pool tag 416

I

i18n. *See* internationalization
 <info> subtask 24
 installing XDoclet 23, 350–353
 IntelliJ IDEA 336, 342
 accepting XDoclet tags 341
 generated classes in sourcepath 338

IntelliJ IDEA (*continued*)
 live templates 342
 interface-oriented components 14
 internationalization, XDoclet tags 445

J

J2EE, development roles 137
 JAAS. *See* Java Authentication and Authorization Service
 Jakarta Pluto 289
 Jakarta Struts
 XDoclet tags 469
 Jakarta Tomcat 254
 Java Authentication and Authorization Service 150
 Java Data Objects 191
 class enhancement 177, 184
 LIBeLIS LiDO 177, 187–188
 PersistenceCapable 184
 relationships 183
 Solarmetric Kodo 177, 187–188
 Triactive JDO 177, 187–188
 vendor extensions 191
 XDoclet tags 434
 Java Management Extension 234
 JBossMXjboss 253
 MBean interfaces 239
 MBeans 234
 M-lets 245
 model MBeans 249
 MX4J 260
 overview 234
 XDoclet tags 438
 Java message service 78
 Java Transaction API 74
 @javabean.attribute tag 416
 @javabean.class tag 416
 @javabean.icons tag 417
 @javabean.method tag 417
 @javabean.param tag 418
 @javabean.property tag 418
 JavaBeans, XDoclet tags 418
 JavaCC 4–5
 javadoc 10, 12, 31
 comments 32
 JavaServer Pages 4, 84
 as code generation 5
 custom tags 108
 tag libraries 84, 108
 tag library descriptor 84, 105, 108
 jaws.xml 140
 JBoss 27
 creating tables 146
 database mapping 142
 datasource mapping 148
 deployment descriptors 149
 foreign keys 143
 JNDI naming 148
 login-config.xml 150
 many-to-many relationships 145
 relation tables 145
 relationships 143
 virtual hosts 151
 web applications 151
 web context 150
 web security 150
 XDoclet tags 430
 @jboss.audit tag 419
 @jboss.audit-created-by tag 419
 @jboss.audit-created-time tag 419
 @jboss.audit-updated-by tag 419
 @jboss.audit-updated-time tag 419
 @jboss.cache-invalidation tag 420
 @jboss.cache-invalidation-config tag 420
 @jboss.cluster-config tag 420
 @jboss.clustered tag 420
 @jboss.cmp-field tag 421
 @jboss.column-name tag 427
 @jboss.container-configuration tag 421
 @jboss.datasource tag 421
 @jboss.declared-sql tag 421
 @jboss.depends tag 422
 @jboss.destination-jndi-name tag 422
 @jboss.dvc-property tag 427
 @jboss.ejb-ref-jndi tag 422
 @jboss.entity-command tag 422
 @jboss.entity-command-attribute tag 422
 @jboss.finder-query tag 422
 @jboss.jdbc-type tag 428
 @jboss.lazy-load-group tag 423
 @jboss.load-group tag 423
 @jboss.method-attributes tag 423, 428
 @jboss.mxbean tag 252
 @jboss.optimistic-locking tag 423
 @jboss.persisted-field tag 428
 @jboss.persistence tag 145, 424, 428
 create-table attribute 145
 datasource attribute 148
 datasource-mapping attribute 148
 remove-table attribute 145
 @jboss.query tag 424

- @jboss.read-ahead tag 425
- @jboss.read-only tag 425
- @jboss.relation tag 142, 429
 - fk-column attribute 143
 - related-pk-field attribute 143
- @jboss.relation-mapping tag 429
- @jboss.relation-read-ahead tag 429
- @jboss.relation-table tag 144, 429
 - create-table attribute 145–146
 - remove-table attribute 145–146
 - table-name attribute 144
- @jboss.resource-env-ref tag 425
- @jboss.resource-manager tag 425
- @jboss.resource-ref tag 148, 426
 - jndi-name attribute 148
 - res-ref-name attribute 148
- @jboss.security-proxy tag 426
- @jboss.select-for-update tag 426
- @jboss.service tag 247, 426
 - servicefile attribute 247
- @jboss.sql-type tag 430
- @jboss.subscriber tag 430
- @jboss.target-relation tag 143, 430
 - fk-column attribute 143
 - related-pk-field attribute 143
- @jboss.tuned-updates tag 427
- @jboss.unknown-pk tag 427
- @jboss.xmlbean tag 250–251
- jboss.xml 140
- <jboss> subtask 27, 140
 - createTable attribute 146
 - datasource attribute 147
 - datasourceMapping attribute 147
 - destdir attribute 140
 - removeTable attribute 146
 - version attribute 140
- jbosscomp-jdbc.xml 140
- JBossMX 253
 - deploying an MBean service 248
 - service archive (SAR) file 246
 - service deployment descriptor 248
 - XMBEans 253
- <jbossservice> subtask 165
- @jboss-target-relation tag 143
- jboss-web.xml 149
- <jbosswebxml> subtask 85, 149
 - contextroot attribute 149–150
 - destdir attribute 149
 - securitydomain attribute 150
 - virtualhost attribute 150
- <jbossxmlbean> subtask 234, 250
- <jbossxmlbean> subtask 234
- <jbossxmlservicetemplate> subtask 234, 247
 - servicefile attribute 247
- JDBC 164
- JDO. *See* Java Data Objects
- @jdo.array-vendor-extension tag 431
- @jdo.class-vendor-extension tag 430
- @jdo.collection-vendor-extension tag 432
- @jdo.field tag 179–180, 182, 432
 - collection-type attribute 182
 - element-type attribute 182
 - null-value attribute 179–180
 - primary-key attribute 179–180
- @jdo.field-vendor-extension tag 191, 433
 - key attribute 191
 - value attribute 191
 - vendor-name attribute 191
- @jdo.map-vendor-extension tag 433
- @jdo.package-vendor-extension tag 431
- @jdo.persistence-capable tag 178–181, 431
 - identity-type attribute 179–181
 - objectid-class 181
- @jdo.table tag 431
- <jdodoclet> subtask 177
- <jdodoclet> task 26, 178, 371
 - <jdometadate> subtask 178, 371–372
 - <kodo> subtask 188, 371
 - <lido> subtask 188, 371
 - <trialective> subtask 188–189, 372
- <jdometadate> subtask 177–178
 - havingClassTag attribute 178
- JIRA 574
- JMS. *See* Java message service
- JMX. *See* Java Management Extension
- @jmx.descriptor tag 434, 436
- @jmx.managed-attribute tag 241, 252, 255, 436
 - access attribute 252
 - description attribute 252, 255
- @jmx.managed-constructor tag 255, 437
 - description attribute 255
- @jmx.managed-constructor-parameter tag 255, 437
 - description attribute 255
 - name attribute 255
 - position attribute 255
- @jmx.managed-operation tag 236–237, 255, 437
 - description attribute 255–256
- @jmx.managed-operation-parameter tag 255, 438
 - description attribute 255–256
 - name attribute 255
 - position attribute 255

- @jmx.managed-parameter tag 438
 - @jmx.mbean tag 235–237, 255, 434
 - description attribute 255
 - name attribute 236, 242, 248
 - @jmx.mlet-entry tag 241, 435
 - archive attribute 241–242
 - codebase attribute 242
 - @jmx.notification tag 435
 - <jmxdoclet> task 26, 234
 - <jbossxmbean> subtask 234, 250
 - <jbossxml doc> subtask 234
 - <jbossxmlservicetemplate> subtask 234, 247
 - <mbeaninterface> subtask 234–235, 237
 - <mlet> subtask 234–235, 241–242
 - <mx4jdescription> subtask 234, 254, 256
 - tasks of 234
 - JMXStartupListener.java 238
 - JOnAS, XDoclet tags 440
 - @jonas.bean tag 438
 - @jonas.cmp-field-jdbc-mapping tag 440
 - @jonas.ejb-ref tag 438
 - @jonas.finder-method-jdbc-mapping tag 439
 - @jonas.is-modified-method-name tag 439
 - @jonas.jdbc-mapping tag 439
 - @jonas.max-cache-size tag 439
 - @jonas.message-driven-destination tag 439
 - @jonas.min-pool-size tag 439
 - @jonas.passivation-timeout tag 439
 - @jonas.resource tag 440
 - @jonas.resource-env tag 440
 - @jonas.session-timeout tag 440
 - @jonas.shared tag 440
 - <jonaswebxml> subtask 85
 - JRun, XDoclet tags 443
 - @jrun.always-dirty tag 441
 - @jrun.cluster-home tag 441
 - @jrun.cluster-object tag 441
 - @jrun.commit-option tag 441
 - @jrun.domain tag 443
 - @jrun.ejb-local-ref tag 441
 - @jrun.ejb-ref tag 441
 - @jrun.instance-pool tag 441
 - @jrun.jdbc-mapping tag 443
 - @jrun.jdbc-mapping-field tag 443
 - @jrun.jdbc-mapping-param tag 443
 - @jrun.jdbc-mappings tag 442
 - @jrun.jndi-name tag 442
 - @jrun.message-driven-destination tag 442
 - @jrun.message-driven-subscription tag 442
 - @jrun.resource-env-ref tag 442
 - @jrun.resource-ref tag 442
 - @jrun.server-session-pool tag 443
 - @jrun.timeout tag 443
 - <jrunwebxml> subtask 85
 - JSP. *See* JavaServer Pages
 - @jsp.attribute tag 106–107, 476
 - required attribute 106
 - rtexprdate attribute 107
 - rtexprvalue attribute 106
 - type attribute 106
 - @jsp.tag tag 106–107, 476
 - body-content attribute 106–107
 - name attribute 106
 - @jsp.validator-init-param tag 477
 - @jsp.variable tag 477
 - <jsptaglib> subtask 84–85, 105
 - JSR-168 277
 - JTA. *See* Java Transaction API
 - JUnit 263
- K**
-
- @kodo.field tag 444
 - @kodo.table tag 444
 - <kodo> subtask 177, 188
- L**
-
- <lido> subtask 177, 188
 - listeners, servlet 105
 - ListEntriesServlet.java 92
 - local home interfaces 52
 - local interface, generating 53
 - <localhomeinterface> subtask 27, 52
 - <localinterface> subtask 27, 53
 - locality principal 40
 - LogBean.java 79
- M**
-
- <mbeaninterface> subtask 234–235, 237
 - MDA. *See* model-driven architecture
 - MDB. *See* message-driven beans
 - MemoryMonitor.java 241
 - merge points 39, 111
 - additive 38
 - axis-mappings-{0}.xml 230
 - definition 37
 - ejb-sec-rolerefs-{0}.xml 38
 - entitypk-custom.xdt 38
 - jbosscmp-jdbc-defaults.xml 148
 - merge directory 39

merge points (*continued*)
 replacement 39
 servlet-mappings.xml 111
 servlets.xml 111
 soap-mappings-{0}.xml 220
 message-driven beans 81
 acknowledge mode 80
 destinations 80
 message selectors 79
 subscription durability 81
 metadata 12–13
 computer readable 12
 embedded in code 12
 human readable 12
 in source files 12
 method parameters 320
 Middlegen 336, 349
 <mlet> subtask 234–235, 241–242
 MletAgent.java 243
 mock objects 264
 definition 264
 generating 273
 when to mock 265
 XDoclet tagsmock 445
 @mock.generate tag 268–269, 445
 <mockobjectdoclet> task 267–268
 <mockobjects> subtask 267–269
 <mockobjects> subtask 267–269
 model-driven architecture 346
 model-driven code generation 9
 modeling tools 9
 Model-View-Controller 113
 @msg.bundle tag 445
 multitier systems 14
 MVC. *See* Model View Controller
 MVCSoft, XDoclet tags 451
 @mvcsoft.col-name tag 449
 @mvcsoft.custom-conversion-object tag 449
 @mvcsoft.entity tag 446
 @mvcsoft.exclude-from-optimistic-lock tag 450
 @mvcsoft.fault-group tag 446
 @mvcsoft.high-low-key tag 447
 @mvcsoft.jdbc-type tag 450
 @mvcsoft.lightweight tag 450
 @mvcsoft.query tag 447
 @mvcsoft.relation tag 450
 @mvcsoft.sql-type tag 450
 @mvcsoft.unknown-key tag 448
 @mvcsoft.uuid-key tag 449
 @mvcsoft.wrap tag 451

Mx4J 260
 deploying an MBean 260
 description classes 254
 XDoclet tags 451
 @mx4j.description tag 451
 <mx4jdescription> subtask 234, 254, 256

O

@oc4j.bean tag 451
 @oc4j.field-persistence-manager tag 454
 @oc4j.field-persistence-manager-property tag 454
 @oc4j.persistence tag 454
 Oracle Application Server, XDoclet tags 454
 Orion Application Server 457
 @orion.bean tag 454
 @orion.field-persistence-manager-param tag 456
 @orion.persistence tag 457

P

parser generator 7, 10
 PigLatinAxisClient.java 226
 PigLatinService.java 213, 224
 PigLatinSoapClient.java 215
 portability 157
 portals 276
 portlet API 277
 @portlet.portlet tag 281–282, 457
 description attribute 282
 display-name attribute 282
 expiration-cache attribute 282
 name attribute 282
 @portlet.portlet-info tag 281–282
 title attribute 283
 @portlet.portlet-init-param tag 281, 283
 name attribute 283
 value attribute 283
 @portlet.preferences tag 285
 name attribute 286
 value attribute 286
 @portlet.preferences-validator tag 287
 class attribute 287
 @portlet.supports tag 284
 mime-type attribute 284
 modes attribute 284
 portlet.xml
 <init-param> element 283
 <portlet> element 282

portlet.xml (*continued*)
 <portlet-app> element 282
 <portlet-info> element 283
 <portlet-preferences> element 286, 288
 <preferences-validator> element 288
 <supports> element 285
 <portletdoclet> task 279–280
 <portletxml> subtask 279–280
 portlets 276
 deployment 279, 289
 initialization 284
 Jakarta Pluto 289
 mime-types 285
 modes 278, 285
 preferences 286
 preferences validation 288
 RenderRequest 277
 RenderResponse 277
 writing 281
 Pramati Server
 XDoclet tags 460
 @pramati.bean tag 458
 @pramati.destination-mapping tag 459
 @pramati.ejb-local-ref tag 459
 @pramati.ejb-ref tag 459
 @pramati.persistence tag 459
 @pramati.resource-env-ref tag 459
 @pramati.resource-mapping tag 459
 @pramati.server-session tag 459
 @pramati.thread-pool tag 460
 PreferenceValidator 287
 PrimitiveTagsHandler.java 325
 principal of locality 40
 proprietary deployment
 JBoss 151
 WebLogicbea 156
 Proxy design pattern 37

R

remote interface, generating 53
 <remoteinterface> subtask 53
 repetition
 as a source for code generation 20
 Resin, XDoclet tags 467
 @resin.access-log tag 460
 @resin.auth-constraint tag 460
 @resin.browser-mapping tag 460
 @resin.cache-mapping tag 460
 @resin.chain-mapping tag 461
 @resin.classpath tag 461

@resin.context-param tag 461
 @resin.data-constraint tag 465
 @resin.error-log tag 461
 @resin.error-page tag 461
 @resin.form-login-config tag 462
 @resin.ip-constraint tag 462
 @resin.jdbc-store tag 462
 @resin.jsp tag 462
 @resin.login-config tag 463
 @resin.mime-mapping tag 463
 @resin.multipart-form tag 463
 @resin.path-mapping tag 463
 @resin.security-constraint tag 463
 @resin.session-config tag 464
 @resin.stderr-log tag 464
 @resin.stdout-log tag 465
 @resin.taglib-log tag 465
 @resin.web-resource-collection tag 465
 @resin-ejb.cmp-field tag 466
 @resin-ejb.entity-bean tag 466
 @resin-ejb.entity-method tag 466
 @resin-ejb.relation tag 467
 <resin-web-xml> subtask 85
 RMI 4, 10
 rmic 4–5, 10
 RobinHoodBean.java 72

S

security
 access control 94
 authentication 94
 bean-managed 68
 container-managed 66
 declarative 66, 96
 domainjbossweb 150
 identity propagation 68
 isUserInRole() 95, 98
 programmatic 68, 98
 role propagation 99
 roles 96
 servlets
 configuration 89
 declarative security 96
 deployment descriptor 84
 EJB references 93
 filters 99, 103
 initialization parameters 90
 listeners 105
 mapping to URLs 91
 naming 88

- servlets (*continued*)
 - security 99
 - web.xml 84
 - XDoclet tags 480
- session façade 47
- <session> subtask 56
- ShellAppCommandProcessor.java 305
- @soap.method tag 213–214, 384
- @soap.service tag 212–213, 383
 - id attribute 214
 - scope attribute 212–213
 - urn attribute 212–214
- Solarmetric Kodo
 - XDoclet tags 445
- source repository
 - and generated code 19
- @sql.field tag 433
- @sql.relation tag 434
- Struts
 - Action 118
 - Action exceptions 121
 - ActionError 121
 - ActionForm 116, 129
 - ActionServlet 110, 112, 114
 - declaring Actions 120
 - EJB and 129
 - forwards 120
 - merge into web.xml 112
 - MVC and 113
 - parameters 122
 - request flow 114
 - validating ActionForms 126
 - validation types 124
 - ValidatorForm 124
- @struts.action tag 119–120, 467
 - input attribute 119
 - name attribute 119
 - path attribute 119
- @struts.action-exception tag 119, 121, 468
 - key attribute 119, 121
 - path attribute 119, 121
 - type attribute 119, 121
- @struts.action-form tag 123
 - name attribute 123
- @struts.action-forward tag 119–120, 468
 - name attribute 119
 - path attribute 119
- @struts.form tag 122, 126, 468
 - include-all attribute 126
 - name attribute 122

- @struts.form-field tag 128, 469
 - form-name attribute 128
- @struts.validation tag 469
- @struts.validator tag 122–123, 125
 - type attribute 122–123
- @struts.validator-args tag 469
- @struts.validator-var tag 469
- struts-config.xml 114
 - <action> element 120
 - declaring Actions 120
 - <exception> element 121
 - <forward> element 120
- <strutsconfigxml> subtask 84, 115–116, 128
 - version attribute 116
- <strutsform> subtask 115–117, 128
- <strutsvalidationxml> subtask 84, 115–116
- subtasks 33
 - definition 26
- @sunone.bean tag 470
- @sunone.bean-cache tag 471
- @sunone.bean-pool tag 471
- @sunone.consistency tag 472
- @sunone.fetched-with tag 473
- @sunone.finder tag 472
- @sunone.persistence-manager tag 472
- @sunone.pool-manager tag 473
- @sunone.relation tag 473
- SunONE/iPlanet, XDoclet tags 474

T

- tag library descriptor
 - <taghandler> element 333
- tasks 33
 - definition 25
- <template> subtask
 - acceptAbstractClasses attribute 303
 - acceptInterfaces attribute 303
 - destdir attribute 303
 - destinationFile attribute 298, 304
 - havingClassTag attribute 309
 - packageSubstitutions attribute 304
 - prefixWithPackageStructure attribute 304
 - templateFile attribute 298
- templates 36
 - body tags 37
 - class fields 321
 - conditional tags 37
 - content tags 37
 - definition 34
 - iterator tags 37

templates (*continued*)
 method parameters 320
 stand-alone 298
See also XDt template tags
 test-driven development 263
 testing of generated code 17
 @tjdo.field tag 189, 474
 column-length attribute 189–190
 TLD. *See* JavaServer Pages
 todo list generation 24
 @todo tag 23
 tools
 generating tags with 336
 maintaining tags with 337
 validating tags with 337
 Topic.java 182
 TopicBean.java, BMP version 77
 transactions
 bean-managed 72, 74
 container-managed 71, 73
 types of 73
 transform code generation 304
 Triactive JDO, XDoclet tags 476
 <triactive> subtask 177, 188–189

U

UML 8, 347
 unit testing 263
 unit tests 17
 of generated code 17
 <utilobject> subtask 56
 cacheHomes attribute 55
 includeGUID attribute 55
 kind attribute 55

V

validation.xml 114, 124
 <field> element 125
 <form> element 125
 <formset> element 125
 ValidatorException 287
 value objects 28, 65
 multiple 64
 and relationships 65
 <valueobject> subtask 28, 62
 views.properties
 generating 133

W

WeatherPortlet.java 281
 WeatherPreferenceValidator.java 287
 @web.ejb-local-ref tag 93, 477
 home attribute 93
 link attribute 93
 local attribute 93
 name attribute 93
 type attribute 93
 @web.ejb-ref tag 91, 93, 478
 home attribute 91
 link attribute 91
 name attribute 91
 type attribute 91
 @web.env-entry tag 478
 @web.filter tag 100–101, 478
 name attribute 100–101
 @web.filter-init-param tag 100, 102, 478
 name attribute 100, 102
 value attribute 100, 102
 @web.filter-mapping tag 100, 103, 478
 servlet-name attribute 103
 url-pattern attribute 100, 103
 @web.listener tag 104–105, 479
 @web.resource-env-ref tag 479
 @web.resource-ref tag 479
 @web.security-role tag 95–97, 479
 role-name attribute 95
 @web.security-role-ref tag 95, 97, 479
 role-link attribute 95
 role-name attribute 95
 @web.servlet tag 87–89, 98, 479
 name attribute 88
 run-as attribute 89, 98
 @web.servlet-init-param tag 87, 89–90,
 480
 name attribute 89
 value attribute 89
 @web.servlet-mapping tag 87, 90, 480
 url-pattern attribute 90
 web.xml 31, 84, 86
 <ejb-ref> element 93
 <filter> element 102
 <filter-mapping> element 103
 frameworks and 111
 <init-param> element 90
 <listener> element 105
 <run-as> element 99
 <security-role> element 94, 96
 <security-role-ref> element 97

- web.xml (*continued*)
 - <servlet> element 88, 112–113
 - <servlet-mapping> element 90, 112
- <webdoclet> task 26, 29, 84, 374
 - subtask 116
 - <deploymentdescriptor> subtask 84–86, 374, 378
 - <jbosswebxml> subtask 85, 149, 375
 - <jonaswebxml> subtask 85, 375
 - <jrunwebxml> subtask 85, 375, 380
 - <jsptaglib> subtask 84–86, 105, 375, 380
 - <resin-web-xml> subtask 85, 376, 380
 - <strutsconfigxml> subtask 84, 115, 376, 380
 - <strutsform> subtask 115
 - <strutsvalidationxml> subtask 84, 115–116, 377, 381
 - subtasks of 85
 - <weblogicwebxml> subtask 85, 155, 377
 - <webspherewebxml> subtask 85, 377
 - <webworkactiondocs> subtask 85, 130, 133, 377
 - <webworkactionsxml> subtask 130, 378, 381
 - <webworkconfigproperties> subtask 85, 130, 378, 381
- web-log application
 - component model 47
 - EJB layer 46
- WebLogic 27, 156
 - call by reference 154
 - deployment descriptors 152, 155
 - EJB pooling 154
 - table management 153
 - web applications 156
 - web context 155
 - XDoclet tags 487
- @weblogic.allow-concurrent-calls tag 480
- @weblogic.automatic-key-generation tag 480
- @weblogic.cache tag 481
- @weblogic.cache-ref tag 481
- @weblogic.clustering tag 482
- @weblogic.column-map tag 153
 - foreign-key-column attribute 153
 - key-column attribute 153
- @weblogic.ejb-local-reference-description tag 483
- @weblogic.ejb-reference-description tag 483
- @weblogic.enable-call-by-reference tag 484
- @weblogic.enable-dynamic-queries tag 484
- @weblogic.field-group tag 487
- @weblogic.finder tag 487
- @weblogic.invalid-ation-target tag 484
- @weblogic.lifecycle tag 484
- @weblogic.message-driven tag 484
- @weblogic.persistence tag 485
- @weblogic.pool tag 154, 486
 - initial-beans-in-free-pool attribute 154
 - max-beans-in-free-pool attribute 154
- @weblogic.relation tag 152–153
 - foreign-key-column attribute 152
 - join-table-name attribute 153
 - key-column attribute 152
- @weblogic.resource-description tag 486
- @weblogic.resource-env-description tag 486
- @weblogic.run-as-identity-principal tag 486
- @weblogic.select tag 487
- @weblogic.target-column-map tag 152–153
 - foreign-key-column attribute 152
 - key-column attribute 152
- @weblogic.transaction-descriptor tag 486
- @weblogic.transaction-isolation tag 487
- weblogic.xml 155
- <weblogic> subtask 27, 151
 - createtables attribute 153
 - destdir attribute 151
 - validateDbSchemaWith attribute 153
 - version attribute 151
- weblogic-cmp-rdbms-jar.xml 152
- weblogic-ejb-jar.xml 152
- <weblogicwebxml> subtask 85, 155
 - contextroot attribute 155
 - destdir attribute 155
 - securitydomain attribute 156
 - version attribute 155
- @weblogic.enable-call-by-reference tag 154–155
- Websphere
 - XDoclet tags 488
- @websphere.bean tag 488
- @websphere.bean-cache tag 488
- @websphere.datasource tag 488
- @websphere.finder-query tag 488
- @websphere.local-tran tag 488
- @websphere.mapping tag 488
- @websphere.mapping-constraint tag 488
- <webspherewebxml> subtask 85
- WebWork
 - documenting actions 134
 - merge into web.xml 113
 - ServletDispatcher 110, 113
 - subtasks 130
 - views.properties 133
 - XDoclet tags 489

@webwork.action tag 131–132, 489
 error attribute 132
 login attribute 132
 name attribute 132
 success attribute 132
 @webwork.command tag 489
 <webworkactiondocs> subtask 85, 130, 133
 destdir attribute 133
 <webworkactionsxml> subtask 130
 destdir attribute 130
 <webworkconfigproperties> subtask 85, 130, 133
 destdir attribute 133
 Widget.java 300
 WidgetFactory.java 301

X

XDoclet

and Ant 28, 33
 Ant tasks 331
 building from source code 573
 custom tasks 297, 334
 custom template tags 296
 custom templates 296, 304
 CVS repository 571
 declaring tasks 29
 and EJB 40
 extending 334
 IDEs 345
 installation 352
 issue tracking 574
 mailing lists 571
 merge points 39
 subtasks 33
 tag namespace 33
 tag parameters 33
 tag validation 337
 tags 33
 task attributes 356
 tasks 26, 30, 33
 team 570
 template language. *See* XDt template language
 template tags 322
 See Appendix D 491–565
 templates 36
 @xdoclet.merge-file tag 489
 @xdoclet.taghandler tag 490
 <xdoclet> task 298
 addedTags attribute 303
 <template> subtask 298

@xdoclet-generated tag 303
 XDocletTagSupport 328
 XDt template language 298, 304
 attribute tags 317
 body tags 314, 328
 Comment namespace 322
 comments 322
 Config namespace 322
 configuration parameters 322
 content tags 314, 326
 custom template tags 329
 Field namespace 321
 iterating 313
 iteration tags 315
 namespaces 315
 naming tags 318
 Parameter namespace 320
 property tags 318
 tag handlers 314, 329
 tag types 318
 Type namespace 322
 <XDtComment:comment> tag 314
 <XDtConfig:configParameterValue> tag 322
 <XDtConstructor:constructorName> tag 319
 <XDtConstructor:forAllConstructors> tag 319
 <XDtField:fieldName> 320
 <XDtField:fieldType> 320
 <XDtField:forAllFields> tag 320
 <XDtField:ifHasFieldTagValueEquals> tag 320
 <XDtI18n:getString> tag 302
 <XDtMethod:forAllMethods> tag 315
 <XDtMethod:ifIsGetter> tag 318
 <XDtMethod:ifIsSetter> tag 318
 <XDtMethod:methodName> tag 318
 <XDtMethod:propertyName> tag 318
 <XDtPackage:forAllPackages> tag 318
 <XDtPackage:forAllpackages> tag 298
 <XDtPackage:packageName> tag 299, 302, 318
 <XDtPackage:packageNameAsPath> tag 318
 <XDtParameter:forAllConstructorParams> tag 319
 <XDtParameter:forAllMethodParameters> tag 315
 <XDtParameter:forAllMethodParams> tag 319
 <XDtParameter:methodName> tag 319
 <XDtParameter:methodType> tag 319
 <XDtParameter:parameterList> tag 319

- XDt template language (*continued*)
 - <XDtTagDef:tagDef> tag 326
 - <XDtType:ifIsNotPrimitive> tag 321
 - <XDtType:ifIsOfType> tag 321
 - <XDtType:ifIsPrimitive> tag 321
 - <XDtType:typeWithoutDimensions> tag 322
- XDt template tags
 - all tag descriptions *See* Appendix D 491–565
 - <XDtClass:classCommentTags> tag 303
 - <XDtClass:classCommentText> tag 299
 - <XDtClass:className> tag 299, 302, 314
 - <XDtClass:classTagValue> tag 317
 - <XDtClass:forAllClasses> tag 299, 307–308, 313, 315
 - <XDtClass:ifClassTagValueEquals> tag 316
 - <XDtClass:ifClassTagValueNotEquals> tag 316
 - param attribute 316
 - value attribute 316
 - <XDtClass:ifDoesntHaveclassTag> tag 316
 - <XDtClass:ifHasClassTag> tag 307, 316
 - <XDtClass:ifIsClassAbstract> tag 313–314
 - <XDtClass:ifIsClassNotAbstract> tag 314
- XMI. *See* XML Meta-Data Interchange
- XML
 - marshalling 208
 - task attributes 356
 - unmarshalling 209
- XML Meta-Data Interchange 346